

# Dancik Open-WebService Reference

## Function ID/Path : /d24/activateOrder

This function activates the specified order, by reference id.

### Inputs :

Variable	Type	Req?	Description
d24user	string(10)	Y	The login profile name.
d24sesid	string(20)	Y	The logged in users active session id.
d24_referenceid	integer(7)	Y	Reference#
d24_fromcheckout	string(1)	Y	Y indicates this service being called from the check out screen, Blank or N indicates it is being called from soemwhere else. Default is N.

#### Example (XML) :

```
<dancik-api-request>
  <d24user> XXX </d24user>
  <d24sesid> XXX </d24sesid>
  <d24_referenceid> XXX </d24_referenceid>
  <d24_fromcheckout> XXX </d24_fromcheckout>
</dancik-api-request>
```

#### Example (JSON) :

```
{
  "d24user": " XXX ",
  "d24sesid": " XXX ",
  "d24_referenceid": " XXX ",
  "d24_fromcheckout": " XXX "
}
```

### Outputs :

Layout name : success

Variable	Type	Description
timestamp	timestamp	Time stamp of the successful request.

#### Example (XML) :

```
<dancik-api-response>
  <success>
    <timestamp> XXX </timestamp>
  </success>
</dancik-api-response>
```

#### Example (JSON) :

```
{
  "success": {
    "timestamp": " XXX "
  }
}
```

### History :

Date	Description
07/27/2011	New Call