

Dancik Open-WebService Reference

Function ID/Path : /ar/workWithArBillBusy

This function processes the information for the AR Bill Busy file that are needed.

Inputs :

| Variable | Type | Req? | Description |
|-------------|------------|------|---|
| arbbAction | string(1) | Y | Action being performed on the Bill Busy file. |
| arbbCoac | numeric(6) | Y | The current account number to use in the Bill Busy file. (Minimum 2 digits) |
| arbbdate | numeric(6) | Y | The date that the Account is locked. |
| arbbTime | numeric(6) | Y | The time the account is locked. |
| arbbUser | string(10) | Y | User the account is locked to. |
| arUpAccount | integer(6) | N | Account to change to. |
| arUpUser | String(10) | N | User to change to. |

Example (XML) :

```
<dancik-api-request>
  <arbbAction> XXX </arbbAction>
  <arbbCoac> XXX </arbbCoac>
  <arbbdate> XXX </arbbdate>
  <arbbTime> XXX </arbbTime>
  <arbbUser> XXX </arbbUser>
  <arUpAccount> XXX </arUpAccount>
  <arUpUser> XXX </arUpUser>
</dancik-api-request>
```

Example (JSON) :

```
{
  "arbbAction": " XXX ",
  "arbbCoac": " XXX ",
  "arbbdate": " XXX ",
  "arbbTime": " XXX ",
  "arbbUser": " XXX ",
  "arUpAccount": " XXX ",
  "arUpUser": " XXX "
}
```

Outputs :

Layout name : success

| Variable | Type | Description |
|-----------|-----------|---------------------------------------|
| timestamp | timestamp | Time stamp of the successful request. |

Example (XML) :

```
<dancik-api-response>
  <success>
    <timestamp> XXX </timestamp>
  </success>
</dancik-api-response>
```

Example (JSON) :

```
{
  "success": {
    "timestamp": " XXX "
  }
}
```

History :

| Date | Description |
|------------|-------------|
| 05/29/2012 | New Call |