

# Dancik Open-WebService Reference

## Function ID/Path : /ap/apeom\_initialize

This function will do the initialization for AP End of Month.

### Inputs :

Variable	Type	Req?	Description
reset_options	string(1)	Y	Reset Options.

#### Example (XML) :

```
<dancik-api-request>
  <reset_options> XXX </reset_options>
</dancik-api-request>
```

#### Example (JSON) :

```
{
  "reset_options": " XXX "
}
```

### Outputs :

#### Layout name : step\_header

Variable	Type	Description
apeom_date	string(7)	EOM Date
default_date	string(10)	Default Date

#### Layout name : step\_detail

Variable	Type	Description
message	string(30)	Message
step	string(1)	Step Number

#### Example (XML) :

```
<dancik-api-response>
  <step_header>
    <apeom_date> XXX </apeom_date>
    <default_date> XXX </default_date>
  </step_header>
  <step_detail>
    <message> XXX </message>
    <step> XXX </step>
  </step_detail>
</dancik-api-response>
```

#### Example (JSON) :

```
{
  "step_header": {
    "apeom_date": " XXX ",
    "default_date": " XXX "
  }
  "step_detail": {
    "message": " XXX ",
    "step": " XXX "
  }
}
```

### History :

Date	Description
10/26/2012	New Call