

Dancik Open-WebService Reference

Function ID/Path : /ar/arSalesBuildDetail

This service will build the detail information for an existing batch, or return nothing to the user if there is no batch to edit (on New - the screen is displayed in pristine condition).

Inputs :

Variable	Type	Req?	Description
arBatchNumber	numeric(3)	Y	Batch Number Selection.
arBatchAmount	numeric(9)	Y	Batch Total Selection.
arInitials	string(2)	Y	User Initials Selection.
arBatchDate	numeric(6)	Y	Batch Date Selection. (Format MMDDYY)
arBranch	string(3)	Y	Branch Selection.
arWarehouse	string(3)	Y	Warehouse Selection.
arCompany	string(1)	Y	Company.
arAccount	string(5)	Y	Account.

Example (XML) :

```
<dancik-api-request>
  <arBatchNumber> XXX </arBatchNumber>
  <arBatchAmount> XXX </arBatchAmount>
  <arInitials> XXX </arInitials>
  <arBatchDate> XXX </arBatchDate>
  <arBranch> XXX </arBranch>
  <arWarehouse> XXX </arWarehouse>
  <arCompany> XXX </arCompany>
  <arAccount> XXX </arAccount>
</dancik-api-request>
```

Example (JSON) :

```
{
  "arBatchNumber": " XXX ",
  "arBatchAmount": " XXX ",
  "arInitials": " XXX ",
  "arBatchDate": " XXX ",
  "arBranch": " XXX ",
  "arWarehouse": " XXX ",
  "arCompany": " XXX ",
  "arAccount": " XXX "
}
```

Outputs :

Layout name : account

Variable	Type	Description
ar_sales_company_number	numeric	Company Number.
ar_sales_account_number	numeric	Account Number.
ar_sales_account_name	string	Account Name.
ar_sales_account_address	string	Account Address Line 1.
ar_sales_account_address2	string	Account Address Line 2.
ar_sales_account_city	string	Account City.
ar_sales_account_state	string	Account State.
ar_sales_account_zipcode	numeric	Account Address Line 1.
ar_sales_account_phoneNumber	numeric	Account Phone Number.
ar_sales_account_openar	numeric	Open Accounts Receiveable Amount.
ar_sales_account_currentbalance	numeric	Current Balance of Accounts Receivable.
ar_sales_account_over30	numeric	Current Accounts Recievable Past 30 Days.
ar_sales_account_over60	numeric	Current Accounts Receivable Past 60 Days.
ar_sales_account_over90	numeric	Current Accounts Receivable Past 90 Days.
ar_sales_account_over120	numeric	Current Accounts Receivable Past 120 Days.
ar_sales_account_accountTotal	numeric	Account Total A/R.

Dancik Open-WebService Reference

Function ID/Path : /ar/arSalesBuildDetail

This service will build the detail information for an existing batch, or return nothing to the user if there is no batch to edit (on New - the screen is displayed in pristine condition).

Layout name : batch

Variable	Type	Description
ar_sales_batch_detailCompany	numeric	Detail Line Company Number.
ar_sales_batch_detailAccount	numeric	Detail Line Account Number.
ar_sales_batch_DetailAcctName	string	Name Associated with the Account.
ar_sales_batch_detailInvoiceNumber	numeric	Batch Detail Invoice Number.
ar_sales_batch_detailInvoiceAmt	numeric	Batch Details Invoice Amount.
ar_sales_batch_detailBatchNumber	numeric	Batch Details Batch Number.
ar_sales_batch_detailEntryDate	numeric	Batch Details Entry Date.
ar_sales_batch_detailEntryDateDisplay	string	Batch Details Entry Date Display (formatted MM/DD/YY).
ar_sales_batch_detailWarehouse	string	Batch Details Warehouse.
ar_sales_batch_description	string	Batch Details Description.
ar_sales_batch_transactionCode	string	Batch Details Transaction Code.
ar_sales_batch_branch	string	Batch Details Branch.
ar_sales_batch_termsCode	string	Terms Code.
ar_sales_batch_Uniqueld	numeric	Batch Details Unique Id to Access the record.

Example (XML) :

```
<dancik-api-response>
  <account>
    <ar_sales_company_number> XXX </ar_sales_company_number>
    <ar_sales_account_number> XXX </ar_sales_account_number>
    <ar_sales_account_name> XXX </ar_sales_account_name>
    <ar_sales_account_address> XXX </ar_sales_account_address>
    <ar_sales_account_address2> XXX </ar_sales_account_address2>
    <ar_sales_account_city> XXX </ar_sales_account_city>
    <ar_sales_account_state> XXX </ar_sales_account_state>
    <ar_sales_account_zipcode> XXX </ar_sales_account_zipcode>
    <ar_sales_account_phoneNumber> XXX </
  ar_sales_account_phoneNumber>
    <ar_sales_account_openar> XXX </ar_sales_account_openar>
    <ar_sales_account_currentbalance> XXX </
  ar_sales_account_currentbalance>
    <ar_sales_account_over30> XXX </ar_sales_account_over30>
    <ar_sales_account_over60> XXX </ar_sales_account_over60>
    <ar_sales_account_over90> XXX </ar_sales_account_over90>
    <ar_sales_account_over120> XXX </ar_sales_account_over120>
    <ar_sales_account_accountTotal> XXX </ar_sales_account_accountTotal>
  </account>
  <batch>
    <ar_sales_batch_detailCompany> XXX </ar_sales_batch_detailCompany>
    <ar_sales_batch_detailAccount> XXX </ar_sales_batch_detailAccount>
    <ar_sales_batch_DetailAcctName> XXX </
  ar_sales_batch_DetailAcctName>
    <ar_sales_batch_detailInvoiceNumber> XXX </
  ar_sales_batch_detailInvoiceNumber>
    <ar_sales_batch_detailInvoiceAmt> XXX </
  ar_sales_batch_detailInvoiceAmt>
    <ar_sales_batch_detailBatchNumber> XXX </
  ar_sales_batch_detailBatchNumber>
    <ar_sales_batch_detailEntryDate> XXX </ar_sales_batch_detailEntryDate>
    <ar_sales_batch_detailEntryDateDisplay> XXX </
  ar_sales_batch_detailEntryDateDisplay>
    <ar_sales_batch_detailWarehouse> XXX </
  ar_sales_batch_detailWarehouse>
    <ar_sales_batch_description> XXX </ar_sales_batch_description>
    <ar_sales_batch_transactionCode> XXX </
  ar_sales_batch_transactionCode>
```

Example (JSON) :

```
{
  "account" : {
    "ar_sales_company_number" : " XXX ",
    "ar_sales_account_number" : " XXX ",
    "ar_sales_account_name" : " XXX ",
    "ar_sales_account_address" : " XXX ",
    "ar_sales_account_address2" : " XXX ",
    "ar_sales_account_city" : " XXX ",
    "ar_sales_account_state" : " XXX ",
    "ar_sales_account_zipcode" : " XXX ",
    "ar_sales_account_phoneNumber" : " XXX ",
    "ar_sales_account_openar" : " XXX ",
    "ar_sales_account_currentbalance" : " XXX ",
    "ar_sales_account_over30" : " XXX ",
    "ar_sales_account_over60" : " XXX ",
    "ar_sales_account_over90" : " XXX ",
    "ar_sales_account_over120" : " XXX ",
    "ar_sales_account_accountTotal" : " XXX "
  }
  "batch" : {
    "ar_sales_batch_detailCompany" : " XXX ",
    "ar_sales_batch_detailAccount" : " XXX ",
    "ar_sales_batch_DetailAcctName" : " XXX ",
    "ar_sales_batch_detailInvoiceNumber" : " XXX ",
    "ar_sales_batch_detailInvoiceAmt" : " XXX ",
    "ar_sales_batch_detailBatchNumber" : " XXX ",
    "ar_sales_batch_detailEntryDate" : " XXX ",
    "ar_sales_batch_detailEntryDateDisplay" : " XXX ",
    "ar_sales_batch_detailWarehouse" : " XXX ",
    "ar_sales_batch_description" : " XXX ",
    "ar_sales_batch_transactionCode" : " XXX "
```

Dancik Open-WebService Reference

Function ID/Path : /ar/arSalesBuildDetail

This service will build the detail information for an existing batch, or return nothing to the user if there is no batch to edit (on New - the screen is displayed in pristine condition).

```
<ar_sales_batch_branch> XXX </ar_sales_batch_branch>
<ar_sales_batch_termsCode> XXX </ar_sales_batch_termsCode>
<ar_sales_batch_Uniqueld> XXX </ar_sales_batch_Uniqueld>
</batch>
</dancik-api-response>
```

```
"ar_sales_batch_branch" : " XXX ",
"ar_sales_batch_termsCode" : " XXX ",
"ar_sales_batch_Uniqueld" : " XXX "
}
```

History :

Date	Description
11/15/2012	New Service