

Dancik Open-WebService Reference

Function ID/Path : /fcb2b/execute_iso

Execute ISO by Item - FCB2B

Inputs :

Variable	Type	Req?	Description
fb_ReferenceId	string(7)	N	Reference ID.
fb_DBA	string(20)	Y	DBA Name for FCB2B.
fb_ItemNumber	string(32)	Y	Item Number for FCB2B.
fb_Qty	string(17)	Y	Quantity.
fb_UOM	string(2)	Y	Converted UOM.
fb_RCCode	string(1)	Y	Roll/Cut Code.
fb_OvrPrice	string(17)	Y	Override Price.

Example (XML) :

```
<dancik-api-request>
  <fb_ReferenceId> XXX </fb_ReferenceId>
  <fb_DBA> XXX </fb_DBA>
  <fb_ItemNumber> XXX </fb_ItemNumber>
  <fb_Qty> XXX </fb_Qty>
  <fb_UOM> XXX </fb_UOM>
  <fb_RCCode> XXX </fb_RCCode>
  <fb_OvrPrice> XXX </fb_OvrPrice>
</dancik-api-request>
```

Example (JSON) :

```
{
  "fb_ReferenceId": " XXX ",
  "fb_DBA": " XXX ",
  "fb_ItemNumber": " XXX ",
  "fb_Qty": " XXX ",
  "fb_UOM": " XXX ",
  "fb_RCCode": " XXX ",
  "fb_OvrPrice": " XXX "
}
```

Outputs :

Layout name : records

Variable	Type	Description
id	string	Session Id

Example (XML) :

```
<dancik-api-response>
  <records>
    <id> XXX </id>
  </records>
</dancik-api-response>
```

Example (JSON) :

```
{
  "records": [{
    "id": " XXX "
  }]
}
```

History :

Date	Description
05/30/2013	New Call