

Dancik Open-WebService Reference

Function ID/Path : /des/getCustomers

This function sets a the status for a specified order# and line#.

Inputs :

Variable	Type	Req?	Description
keyword	alpha(1000)	N	Keywords for Searching
stringsearch	string(1)	N	If Y, then execute a string (or CONTAINS) search of the entered keyword(s).
searchfield	string(30)	N	Field to specifically search on
maxRecords	integer(9)	N	Search Criteria : Indicate the maximum number of records to return. (Dft:25)
startingRecord	integer(9)	N	Search Criteria : The starting record to position the query at.(Dft:1)

Example (XML) :

```
<dancik-api-request>
  <keyword> XXX </keyword>
  <stringsearch> XXX </stringsearch>
  <searchfield> XXX </searchfield>
  <maxRecords> XXX </maxRecords>
  <startingRecord> XXX </startingRecord>
</dancik-api-request>
```

Example (JSON) :

```
{
  "keyword" : " XXX ",
  "stringsearch" : " XXX ",
  "searchfield" : " XXX ",
  "maxRecords" : " XXX ",
  "startingRecord" : " XXX "
}
```

Outputs :

Layout name : success

Variable	Type	Description
timestamp	timestamp	Time stamp of the successful request.

Example (XML) :

```
<dancik-api-response>
  <success>
    <timestamp> XXX </timestamp>
  </success>
</dancik-api-response>
```

Example (JSON) :

```
{
  "success" : {
    "timestamp" : " XXX "
  }
}
```

History :

Date	Description
09/09/2013	New Call