

Dancik Open-WebService Reference

Function ID/Path : /ssm/getLastSelections

This function retrieves the (X) selections that a user has accessed.

Inputs :

Variable	Type	Req?	Description
ssm_ForUser	string(10)	N	Filter by User of Reminders. If not populated, then it will default to the requesting user.
ssm_LastCount	decimal(2,0)	N	Indicates the total number of 'last' selections being requested. The default is 10.

Example (XML) :

```
<dancik-api-request>
  <ssm_ForUser> XXX </ssm_ForUser>
  <ssm_LastCount> XXX </ssm_LastCount>
</dancik-api-request>
```

Example (JSON) :

```
{
  "ssm_ForUser": " XXX ",
  "ssm_LastCount": " XXX "
}
```

Outputs :

Layout name : selections

Variable	Type	Description
id	string	Selection#
customer_name	string	Customer, of the selections, name
customer_address1	string	Customer, of the selections, address 1
customer_address2	string	Customer, of the selections, address 2
customer_city	string	Customer, of the selections, city
customer_state	string	Customer, of the selections, state
customer_zip	string	Customer, of the selections, zip

Example (XML) :

```
<dancik-api-response>
  <selections>
    <id> XXX </id>
    <customer_name> XXX </customer_name>
    <customer_address1> XXX </customer_address1>
    <customer_address2> XXX </customer_address2>
    <customer_city> XXX </customer_city>
    <customer_state> XXX </customer_state>
    <customer_zip> XXX </customer_zip>
  </selections>
</dancik-api-response>
```

Example (JSON) :

```
{
  "selections": [{
    "id": " XXX ",
    "customer_name": " XXX ",
    "customer_address1": " XXX ",
    "customer_address2": " XXX ",
    "customer_city": " XXX ",
    "customer_state": " XXX ",
    "customer_zip": " XXX "
  }]
}
```

History :

Date	Description
03/10/2012	New Call