

# Dancik Open-WebService Reference

## Function ID/Path : /ap/getOpenAP\_Checks

Open AP Check Search.

### Inputs :

Variable	Type	Req?	Description
inUser	string(10)	Y	User name.

#### Example (XML) :

```
<dancik-api-request>
  <inUser> XXX </inUser>
</dancik-api-request>
```

#### Example (JSON) :

```
{
  "inUser" : " XXX "
}
```

### Outputs :

Layout name : extra

Variable	Type	Description
querysize	string(7)	Size of the resulting query.

Layout name : records

Variable	Type	Description
cash_account	string(5)	Cash account#
check_date	string(10)	Check Date
company_num	string(1)	Company Number
invoice_amount	number(9,2)	Invoice Amount
paid_amount	number(9,2)	Paid Amount
transaction_code	string(2)	Transaction Code
transaction_description	string(40)	Transaction Description
vendor_id	string(6)	Vendor ID
vendor_name	string(40)	Vendor Name
vendor_type	string(1)	Vendor Type

#### Example (XML) :

```
<dancik-api-response>
  <extra>
    <querysize> XXX </querysize>
  </extra>
  <records>
    <cash_account> XXX </cash_account>
    <check_date> XXX </check_date>
    <company_num> XXX </company_num>
    <invoice_amount> XXX </invoice_amount>
    <paid_amount> XXX </paid_amount>
    <transaction_code> XXX </transaction_code>
    <transaction_description> XXX </transaction_description>
    <vendor_id> XXX </vendor_id>
    <vendor_name> XXX </vendor_name>
    <vendor_type> XXX </vendor_type>
  </records>
</dancik-api-response>
```

#### Example (JSON) :

```
{
  "extra" : {
    "querysize" : " XXX "
  }
  "records" : {
    "cash_account" : " XXX ",
    "check_date" : " XXX ",
    "company_num" : " XXX ",
    "invoice_amount" : " XXX ",
    "paid_amount" : " XXX ",
    "transaction_code" : " XXX ",
    "transaction_description" : " XXX ",
    "vendor_id" : " XXX ",
    "vendor_name" : " XXX ",
    "vendor_type" : " XXX "
  }
}
```

# Dancik Open-WebService Reference

**Function ID/Path : /ap/getOpenAP\_Checks**

Open AP Check Search.

## History :

Date	Description
10/26/2012	New Call