

# Dancik Open-WebService Reference

## Function ID/Path : /sales-portal/getOpenOrders

This function retrieves all available orders for a specific account.

### Inputs :

Variable	Type	Req?	Description
comp	integer(1)	Y	Company#
acct	integer(5)	Y	Account#
maxRecords	integer(9)	N	Search Criteria : Indicate the maximum number of records to return. (Dft:25)
startingRecord	integer(9)	N	Search Criteria : The starting record to position the query at.(Dft:1)

#### Example (XML) :

```
<dancik-api-request>
  <comp> XXX </comp>
  <acct> XXX </acct>
  <maxRecords> XXX </maxRecords>
  <startingRecord> XXX </startingRecord>
</dancik-api-request>
```

#### Example (JSON) :

```
{
  "comp" : " XXX ",
  "acct" : " XXX ",
  "maxRecords" : " XXX ",
  "startingRecord" : " XXX "
}
```

### Outputs :

Layout name : success

Variable	Type	Description
timestamp	timestamp	Time stamp of the successful request.

#### Example (XML) :

```
<dancik-api-response>
  <success>
    <timestamp> XXX </timestamp>
  </success>
</dancik-api-response>
```

#### Example (JSON) :

```
{
  "success" : {
    "timestamp" : " XXX "
  }
}
```

### History :

Date	Description
09/09/2013	New Call