

Dancik Open-WebService Reference

Function ID/Path : /om/getOrderLineItem

This function retrieves a selected item from an order.

Inputs :

Variable	Type	Req?	Description
parm_Referenceld	decimal(7,0)	Y	Reference#
parm_OrderId	decimal(6,0)	N	Order#
parm_Line	decimal(4,0)	Y	Line#

Example (XML) :

```
<dancik-api-request>
  <parm_Referenceld> XXX </parm_Referenceld>
  <parm_OrderId> XXX </parm_OrderId>
  <parm_Line> XXX </parm_Line>
</dancik-api-request>
```

Example (JSON) :

```
{
  "parm_Referenceld" : " XXX ",
  "parm_OrderId" : " XXX ",
  "parm_Line" : " XXX "
}
```

Outputs :

Layout name : queryinfo

Variable	Type	Description
orderid	string(6)	Order Number
reference	string(7)	Order Reference Number
line	string(4)	Order Line Number
line_formatted	string(4)	Line Formatted
id	string(4)	ID
item20	string(20)	20 character item number
item	string(16)	16 character item number
MFGR	string(3)	Item Manufacturer
COLOR	string(4)	Item Color
PATTERN	string(9)	Item Pattern
shadelot	string(4)	Item Shade/Lot
desc1	string(30)	Item Description 1
desc2	string(30)	Item Description 2
qty	string(12)	Item Quantity
qtyordered_incarts	string(12)	Carton Quantity
qtyorderedweight	string(12)	Order quantity weight
qtyordered_in_feet	string(12)	Order quantity in feet and inches
UM	string(2)	Unit of measure
spol1	string(12)	No break policy
slab_flag	string(1)	Slab flag (Y/N)
slab_pieces	string(12)	Slab pieces
slablength	string(3)	Slab length
slabwidth	string(3)	Slab width
slab_details	string(30)	Slab details
comments	string(30)	Comments

Dancik Open-WebService Reference

Function ID/Path : /om/getOrderLineItem

This function retrieves a selected item from an order.

Variable	Type	Description
priceperuom	string(15)	Price per UOM
price	string(15)	Price
costperuom	string(15)	Cost per UOM
unitcost	string(15)	Unit cost
marginperuom	string(15)	Margin per UOM
marginpercent	string(10)	Margin percent
extendedprice	string(15)	Extended price
extprice	string(15)	Extended price
extendedcost	string(15)	Extended cost
extcost	string(15)	Extended cost
extendedmargin	string(12)	Extended margin
extendedmarginpercent	string(12)	Extended margin percent
totalprice	string(12)	Total price
totalcost	string(12)	Total cost
totalmargin	string(12)	Total margin
totalmarginpercent	string(12)	Total margin percent
totalextenedprice	string(12)	Total extended price
totalextenedcost	string(12)	Total extended cost
totalextenedmargin	string(12)	Total extended margin
totalextenedmarginpercent	string(12)	Total extended margin percent
ware	string(3)	Warehouse
ser	string(10)	Serial Number
loc	string(4)	Warehouse location
rc	string(1)	Return code
restrictcode	string(1)	Restriction code
shipdate	string(10)	Ship Date
receive	string(12)	Quantity received
received	string(12)	Quantity received
rstk	string(5)	Restock
restockingchargepercent	string(10)	Restocking percent
cc	string(5)	cc
priceprogram	string(10)	Pricing program
costprogram	string(10)	Cost program
fundprogram	string(10)	Fund program
pgmtype	string(10)	Program type
program	string(10)	Program
priceallowance_format	string(10)	Price allowance formatted
priceallowance	string(10)	Price allowance
costallowance_format	string(10)	Cost allowance formatted
costallowance	string(10)	Cost allowance

Dancik Open-WebService Reference

Function ID/Path : /om/getOrderLineItem

This function retrieves a selected item from an order.

Variable	Type	Description
points	string(10)	points
points_extended	string(10)	Points extended
fund_format	string(10)	Fund format
fund	string(10)	Fund
terms	string(10)	Terms
pricelist	string(10)	Price lists
pricemethod	string(10)	Price method
deletecode	string(10)	Delete code
directship	string(10)	Direct ship
fob	string(10)	FOB
shipvia	string(10)	Ship Via
supplier	string(10)	Supplier
custpref_item	string(20)	Customer preference item
custpref_description1	string(30)	Customer preference description 1
custpref_description2	string(30)	Customer preference description 2
custpref_quantityordered	string(12)	Customer preference quantity ordered
custpref_uom	string(3)	Customer preference UOM
custpref_price	string(12)	Customer preference price
custpref_cost	string(12)	Customer preference cost
curexc_rate	string(10)	Currency rate
curexc_price	string(10)	Currency price
curexc_extendedprice	string(10)	Currency extended price
curexc_cost	string(10)	Currency cost
curexc_extendedcost	string(10)	Currency extended cost
isoselected	string(10)	ISO selected
statusdescription	string(30)	Status description
message001	string(50)	Message 1
extra_message_01	string(50)	Extra message 1
extra_message_02	string(50)	Extra message 2
extra_message_03	string(50)	Extra message 3
extra_message_04	string(50)	Extra message 4
extra_message_05	string(50)	Extra message 5
extra_message_06	string(50)	Extra message 6
extra_message_07	string(50)	Extra message 7
extra_message_08	string(50)	Extra message 8
extra_message_09	string(50)	Extra message 9
extra_message_10	string(50)	Extra message 10
inv_inq	string(10)	Invoice inquiry

Example (XML) :
<dancik-api-response>

Example (JSON) :
{

Dancik Open-WebService Reference

Function ID/Path : /om/getOrderLineItem

This function retrieves a selected item from an order.

```
<queryinfo>
  <orderid> XXX </orderid>
  <reference> XXX </reference>
  <line> XXX </line>
  <line_formatted> XXX </line_formatted>
  <id> XXX </id>
  <item20> XXX </item20>
  <item> XXX </item>
  <MFGR> XXX </MFGR>
  <COLOR> XXX </COLOR>
  <PATTERN> XXX </PATTERN>
  <shadelot> XXX </shadelot>
  <desc1> XXX </desc1>
  <desc2> XXX </desc2>
  <qty> XXX </qty>
  <qtyordered_incartons> XXX </qtyordered_incartons>
  <qtyorderedweight> XXX </qtyorderedweight>
  <qtyordered_in_feetinches> XXX </qtyordered_in_feetinches>
  <UM> XXX </UM>
  <spol1> XXX </spol1>
  <slab_flag> XXX </slab_flag>
  <slab_pieces> XXX </slab_pieces>
  <slablenth> XXX </slablenth>
  <slabwidth> XXX </slabwidth>
  <slag_details> XXX </slag_details>
  <comments> XXX </comments>
  <priceperuom> XXX </priceperuom>
  <price> XXX </price>
  <costperuom> XXX </costperuom>
  <unitcost> XXX </unitcost>
  <marginperuom> XXX </marginperuom>
  <marginpercent> XXX </marginpercent>
  <extendedprice> XXX </extendedprice>
  <extprice> XXX </extprice>
  <extendedcost> XXX </extendedcost>
  <extcost> XXX </extcost>
  <extendedmargin> XXX </extendedmargin>
  <extendedmarginpercent> XXX </extendedmarginpercent>
  <totalprice> XXX </totalprice>
  <totalcost> XXX </totalcost>
  <totalmargin> XXX </totalmargin>
  <totalmarginpercent> XXX </totalmarginpercent>
  <totalextendedprice> XXX </totalextendedprice>
  <totalextendedcost> XXX </totalextendedcost>
  <totalextendedmargin> XXX </totalextendedmargin>
  <totalextendedmarginpercent> XXX </totalextendedmarginpercent>
  <ware> XXX </ware>
  <ser> XXX </ser>
  <loc> XXX </loc>
  <rc> XXX </rc>
  <restrictcode> XXX </restrictcode>
  <shipdate> XXX </shipdate>
  <receive> XXX </receive>
  <received> XXX </received>
  <rstk> XXX </rstk>
  <restockingchargepercent> XXX </restockingchargepercent>
  <cc> XXX </cc>
  <priceprogram> XXX </priceprogram>
  <costprogram> XXX </costprogram>
  <fundprogram> XXX </fundprogram>
  <pgmtype> XXX </pgmtype>
  <program> XXX </program>
  <priceallowance_format> XXX </priceallowance_format>
  <priceallowance> XXX </priceallowance>
  <costallowance_format> XXX </costallowance_format>
  <costallowance> XXX </costallowance>
  <points> XXX </points>
  <points_extended> XXX </points_extended>
  <fund_format> XXX </fund_format>
  <fund> XXX </fund>
  <terms> XXX </terms>
```

```
"queryinfo": {
  "orderid": " XXX ",
  "reference": " XXX ",
  "line": " XXX ",
  "line_formatted": " XXX ",
  "id": " XXX ",
  "item20": " XXX ",
  "item": " XXX ",
  "MFGR": " XXX ",
  "COLOR": " XXX ",
  "PATTERN": " XXX ",
  "shadelot": " XXX ",
  "desc1": " XXX ",
  "desc2": " XXX ",
  "qty": " XXX ",
  "qtyordered_incartons": " XXX ",
  "qtyorderedweight": " XXX ",
  "qtyordered_in_feetinches": " XXX ",
  "UM": " XXX ",
  "spol1": " XXX ",
  "slab_flag": " XXX ",
  "slab_pieces": " XXX ",
  "slablenth": " XXX ",
  "slabwidth": " XXX ",
  "slag_details": " XXX ",
  "comments": " XXX ",
  "priceperuom": " XXX ",
  "price": " XXX ",
  "costperuom": " XXX ",
  "unitcost": " XXX ",
  "marginperuom": " XXX ",
  "marginpercent": " XXX ",
  "extendedprice": " XXX ",
  "extprice": " XXX ",
  "extendedcost": " XXX ",
  "extcost": " XXX ",
  "extendedmargin": " XXX ",
  "extendedmarginpercent": " XXX ",
  "totalprice": " XXX ",
  "totalcost": " XXX ",
  "totalmargin": " XXX ",
  "totalmarginpercent": " XXX ",
  "totalextendedprice": " XXX ",
  "totalextendedcost": " XXX ",
  "totalextendedmargin": " XXX ",
  "totalextendedmarginpercent": " XXX ",
  "ware": " XXX ",
  "ser": " XXX ",
  "loc": " XXX ",
  "rc": " XXX ",
  "restrictcode": " XXX ",
  "shipdate": " XXX ",
  "receive": " XXX ",
  "received": " XXX ",
  "rstk": " XXX ",
  "restockingchargepercent": " XXX ",
  "cc": " XXX ",
  "priceprogram": " XXX ",
  "costprogram": " XXX ",
  "fundprogram": " XXX ",
  "pgmtype": " XXX ",
  "program": " XXX ",
  "priceallowance_format": " XXX ",
  "priceallowance": " XXX ",
  "costallowance_format": " XXX ",
  "costallowance": " XXX ",
  "points": " XXX ",
  "points_extended": " XXX ",
  "fund_format": " XXX ",
  "fund": " XXX ",
  "terms": " XXX "
```

Dancik Open-WebService Reference

Function ID/Path : /om/getOrderLineItem

This function retrieves a selected item from an order.

```

<pricelist> XXX </pricelist>
<pricemethod> XXX </pricemethod>
<deletecode> XXX </deletecode>
<directship> XXX </directship>
<fob> XXX </fob>
<shipvia> XXX </shipvia>
<supplier> XXX </supplier>
<custpref_item > XXX </custpref_item >
<custpref_description1 > XXX </custpref_description1 >
<custpref_description2> XXX </custpref_description2>
<custpref_quantityordered> XXX </custpref_quantityordered>
<custpref_uom> XXX </custpref_uom>
<custpref_price> XXX </custpref_price>
<custpref_cost> XXX </custpref_cost>
<curexc_rate> XXX </curexc_rate>
<curexc_price> XXX </curexc_price>
<curexc_extendedprice> XXX </curexc_extendedprice>
<curexc_cost> XXX </curexc_cost>
<curexc_extendedcost> XXX </curexc_extendedcost>
<isoselected> XXX </isoselected>
<statusdescription> XXX </statusdescription>
<message001> XXX </message001>
<extra_message_01> XXX </extra_message_01>
<extra_message_02> XXX </extra_message_02>
<extra_message_03> XXX </extra_message_03>
<extra_message_04> XXX </extra_message_04>
<extra_message_05> XXX </extra_message_05>
<extra_message_06> XXX </extra_message_06>
<extra_message_07> XXX </extra_message_07>
<extra_message_08> XXX </extra_message_08>
<extra_message_09> XXX </extra_message_09>
<extra_message_10> XXX </extra_message_10>
<inv_inq> XXX </inv_inq>
</queryinfo>
</dancik-api-response>
    "pricelist" : " XXX " ,
    "pricemethod" : " XXX " ,
    "deletecode" : " XXX " ,
    "directship" : " XXX " ,
    "fob" : " XXX " ,
    "shipvia" : " XXX " ,
    "supplier" : " XXX " ,
    "custpref_item" : " XXX " ,
    "custpref_description1" : " XXX " ,
    "custpref_description2" : " XXX " ,
    "custpref_quantityordered" : " XXX " ,
    "custpref_uom" : " XXX " ,
    "custpref_price" : " XXX " ,
    "custpref_cost" : " XXX " ,
    "curexc_rate" : " XXX " ,
    "curexc_price" : " XXX " ,
    "curexc_extendedprice" : " XXX " ,
    "curexc_cost" : " XXX " ,
    "curexc_extendedcost" : " XXX " ,
    "isoselected" : " XXX " ,
    "statusdescription" : " XXX " ,
    "message001" : " XXX " ,
    "extra_message_01" : " XXX " ,
    "extra_message_02" : " XXX " ,
    "extra_message_03" : " XXX " ,
    "extra_message_04" : " XXX " ,
    "extra_message_05" : " XXX " ,
    "extra_message_06" : " XXX " ,
    "extra_message_07" : " XXX " ,
    "extra_message_08" : " XXX " ,
    "extra_message_09" : " XXX " ,
    "extra_message_10" : " XXX " ,
    "inv_inq" : " XXX "
}
}

```

History :

Date	Description
01/31/2013	New Call