

Dancik Open-WebService Reference

Function ID/Path : /ps/getPaymentTransactions

This function retrieves a list of payment transactions

Inputs :

Variable	Type	Req?	Description
d24user	string(10)	Y	The login profile name.
d24sesid	string(20)	Y	The logged in users active session id.
d24_account	string(6)	Y	Customer account number.
d24_confirmation_number	string(10)	N	If detail is requested, enter the confirmation number.
d24_OrderBy	string(50)	N	Search Criteria : The column identifier the query will be sorted by.
d24_OrderBy_Desc	string(1)	N	Search Criteria : To descend the Order-By column. Value : Y
d24_max_records	string(9)	N	Search Criteria : Indicate the maximum number of records to return. (Dft:25)
d24_starting_record	string(9)	N	Search Criteria : The starting record to position the query at.(Dft:1)

Example (XML) :

```
<dancik-api-request>
  <d24user> XXX </d24user>
  <d24sesid> XXX </d24sesid>
  <d24_account> XXX </d24_account>
  <d24_confirmation_number> XXX </d24_confirmation_number>
  <d24_OrderBy> XXX </d24_OrderBy>
  <d24_OrderBy_Desc> XXX </d24_OrderBy_Desc>
  <d24_max_records> XXX </d24_max_records>
  <d24_starting_record> XXX </d24_starting_record>
</dancik-api-request>
```

Example (JSON) :

```
{
  "d24user": " XXX ",
  "d24sesid": " XXX ",
  "d24_account": " XXX ",
  "d24_confirmation_number": " XXX ",
  "d24_OrderBy": " XXX ",
  "d24_OrderBy_Desc": " XXX ",
  "d24_max_records": " XXX ",
  "d24_starting_record": " XXX "
}
```

Outputs :

Layout name : invoices

Variable	Type	Description
item	string	Item#

Example (XML) :

```
<dancik-api-response>
  <invoices>
    <item> XXX </item>
  </invoices>
</dancik-api-response>
```

Example (JSON) :

```
{
  "invoices": [ {
    "item": " XXX "
  } ]
}
```

History :

Date	Description
01/06/2015	Get Payment Transactions