

# Dancik Open-WebService Reference

## Function ID/Path : /sales-portal/getPendingOrdersSM

This function retrieves all available pending or unprocessed orders for a specific salesman.

### Inputs :

| Variable       | Type       | Req? | Description  |
|----------------|------------|------|--|
| comp           | integer(1) | Y    | Company#   |
| slsm           | string(3)  | Y    | Salesman ID  |
| maxRecords     | integer(9) | N    | Search Criteria : Indicate the maximum number of records to return. (Dft:25) |
| startingRecord | integer(9) | N    | Search Criteria : The starting record to position the query at.(Dft:1)       |

#### Example (XML) :

```
<dancik-api-request>
  <comp> XXX </comp>
  <slsm> XXX </slsm>
  <maxRecords> XXX </maxRecords>
  <startingRecord> XXX </startingRecord>
</dancik-api-request>
```

#### Example (JSON) :

```
{
  "comp" : " XXX ",
  "slsm" : " XXX ",
  "maxRecords" : " XXX ",
  "startingRecord" : " XXX "
}
```

### Outputs :

Layout name : success

| Variable  | Type      | Description                           |
|-----------|-----------|---------------------------------------|
| timestamp | timestamp | Time stamp of the successful request. |

#### Example (XML) :

```
<dancik-api-response>
  <success>
    <timestamp> XXX </timestamp>
  </success>
</dancik-api-response>
```

#### Example (JSON) :

```
{
  "success" : {
    "timestamp" : " XXX "
  }
}
```

### History :

| Date     | Description |
|----------|-------------|
| 07/10/15 | New Call    |