

# Dancik Open-WebService Reference

## Function ID/Path : /invoicing/getPulledOrders

Get Pulled Orders from pendinv

### Inputs :

Variable	Type	Req?	Description
order_number	string(8)	N	Order number
order_date_from	string(8)	N	Order date start date
order_date_to	string(8)	N	Order date end date
order_ship_date_from	string(8)	N	Ship date start date
order_ship_date_to	string(8)	N	Ship date end date
company_number	string(1)	N	Company number
account_number	string(6)	N	Account number
account_name	string(20)	N	Account name
branch	string(3)	N	Branch
warehouse	string(3)	N	Warehouse
order_handling	string(1)	N	Order Handling
ship_via	string(2)	N	Ship via
truck_route	string(2)	N	Truck route
order_amount	string(7)	N	Amount on order
gross_profit_percent_from	string(5)	N	Gross profit percentage start range
gross_profit_percent_end	string(5)	N	Gross profit percentage end range
user_initials	string(5)	N	User initials on order
max_records	dec(9,0)	N	Max Records
starting_record	decimal(9,0)	N	Starting Record
order_by	string(20)	N	Order By
sort_direction	string(3)	N	Direction of sort: ascending or descending

#### Example (XML) :

```
<dancik-api-request>
  <order_number> XXX </order_number>
  <order_date_from> XXX </order_date_from>
  <order_date_to> XXX </order_date_to>
  <order_ship_date_from> XXX </order_ship_date_from>
  <order_ship_date_to> XXX </order_ship_date_to>
  <company_number> XXX </company_number>
  <account_number> XXX </account_number>
  <account_name> XXX </account_name>
  <branch> XXX </branch>
  <warehouse> XXX </warehouse>
  <order_handling> XXX </order_handling>
  <ship_via> XXX </ship_via>
  <truck_route> XXX </truck_route>
  <order_amount> XXX </order_amount>
  <gross_profit_percent_from> XXX </gross_profit_percent_from>
  <gross_profit_percent_end> XXX </gross_profit_percent_end>
  <user_initials> XXX </user_initials>
  <max_records> XXX </max_records>
  <starting_record> XXX </starting_record>
  <order_by> XXX </order_by>
  <sort_direction> XXX </sort_direction>
</dancik-api-request>
```

#### Example (JSON) :

```
{
  "order_number": " XXX ",
  "order_date_from": " XXX ",
  "order_date_to": " XXX ",
  "order_ship_date_from": " XXX ",
  "order_ship_date_to": " XXX ",
  "company_number": " XXX ",
  "account_number": " XXX ",
  "account_name": " XXX ",
  "branch": " XXX ",
  "warehouse": " XXX ",
  "order_handling": " XXX ",
  "ship_via": " XXX ",
  "truck_route": " XXX ",
  "order_amount": " XXX ",
  "gross_profit_percent_from": " XXX ",
  "gross_profit_percent_end": " XXX ",
  "user_initials": " XXX ",
  "max_records": " XXX ",
  "starting_record": " XXX ",
  "order_by": " XXX ",
  "sort_direction": " XXX "
}
```

# Dancik Open-WebService Reference

## Function ID/Path : /invoicing/getPulledOrders

Get Pulled Orders from pendinv

### Outputs :

Layout name : queryinfo

Variable	Type	Description
query_size	string	Query size.

Layout name : details

Variable	Type	Description
order_number	string	Order number
order_date	string	Order date formatted as MM/DD/YY
ship_date	string	Ship date formatted as MM/DD/YY
company_number	string	Company number
account_number	string	Account number
account_name	string	Name of account on order
order_branch	string	Branch on order
order_warehouse	string	Warehouse on order
order_handling	string	Order handling type
ship_via	string	Order ship via code
truck_route	string	Order truck route
order_amount	string	Order amount
gross_profit_percent	string	Gross profit percentage of order
order_user_initials	string	User initials on order

#### Example (XML) :

```
<dancik-api-response>
  <queryinfo>
    <query_size> XXX </query_size>
  </queryinfo>
  <details>
    <order_number> XXX </order_number>
    <order_date> XXX </order_date>
    <ship_date> XXX </ship_date>
    <company_number> XXX </company_number>
    <account_number> XXX </account_number>
    <account_name> XXX </account_name>
    <order_branch> XXX </order_branch>
    <order_warehouse> XXX </order_warehouse>
    <order_handling> XXX </order_handling>
    <ship_via> XXX </ship_via>
    <truck_route> XXX </truck_route>
    <order_amount> XXX </order_amount>
    <gross_profit_percent> XXX </gross_profit_percent>
    <order_user_initials> XXX </order_user_initials>
  </details>
</dancik-api-response>
```

#### Example (JSON) :

```
{
  "queryinfo": {
    "query_size": " XXX "
  }
  "details": {
    "order_number": " XXX ",
    "order_date": " XXX ",
    "ship_date": " XXX ",
    "company_number": " XXX ",
    "account_number": " XXX ",
    "account_name": " XXX ",
    "order_branch": " XXX ",
    "order_warehouse": " XXX ",
    "order_handling": " XXX ",
    "ship_via": " XXX ",
    "truck_route": " XXX ",
    "order_amount": " XXX ",
    "gross_profit_percent": " XXX ",
    "order_user_initials": " XXX "
  }
}
```

# Dancik Open-WebService Reference

**Function ID/Path : /invoicing/getPulledOrders**

Get Pulled Orders from pendinv

## History :

Date	Description
09/11/2013	New Call