

Dancik Open-WebService Reference

Function ID/Path : /fcb2b/getSapConsolidatedView

Get the SAP consolidated view (FCB2B).

Inputs :

Variable	Type	Req?	Description
fb_reference_number	string(7)	Y	Reference number.
fb_manual_ship_date	string(1)	N	Ship date manually overridden
fb_city	string(30)	Y	Ship to city
fb_state	string(2)	Y	Ship to state
fb_ShipVia	string(2)	N	Ship Via
fb_truckroute	string(2)	N	truck route
fb_truckrun	string(2)	N	truck run
maxRows	string(9)	N	Max number of rows to display.
startingRow	string(9)	N	Starting row number to display.

Example (XML) :

```
<dancik-api-request>
  <fb_reference_number> XXX </fb_reference_number>
  <fb_manual_ship_date> XXX </fb_manual_ship_date>
  <fb_city> XXX </fb_city>
  <fb_state> XXX </fb_state>
  <fb_ShipVia> XXX </fb_ShipVia>
  <fb_truckroute> XXX </fb_truckroute>
  <fb_truckrun> XXX </fb_truckrun>
  <maxRows> XXX </maxRows>
  <startingRow> XXX </startingRow>
</dancik-api-request>
```

Example (JSON) :

```
{
  "fb_reference_number": " XXX ",
  "fb_manual_ship_date": " XXX ",
  "fb_city": " XXX ",
  "fb_state": " XXX ",
  "fb_ShipVia": " XXX ",
  "fb_truckroute": " XXX ",
  "fb_truckrun": " XXX ",
  "maxRows": " XXX ",
  "startingRow": " XXX "
}
```

Outputs :

Layout name : records

Variable	Type	Description
id	string	Session Id

Example (XML) :

```
<dancik-api-response>
  <records>
    <id> XXX </id>
  </records>
</dancik-api-response>
```

Example (JSON) :

```
{
  "records": [{
    "id": " XXX "
  }]
}
```

History :

Date	Description
07/09/2013	New Call