

# Dancik Open-WebService Reference

## Function ID/Path : /fcb2b/get\_item\_inventory\_by\_serial

Get Item Inventory by Serial Number - FCB2B

### Inputs :

Variable	Type	Req?	Description
apikey	string(50)	Y	API key.
allwarehouses	string(1)	Y	All Warehouses for FCB2B (Y/N).
item	string(9)	Y	Item Number for FCB2B.
UOM	string(2)	Y	Converted UOM.

#### Example (XML) :

```
<dancik-api-request>
  <apikey> XXX </apikey>
  <allwarehouses> XXX </allwarehouses>
  <item> XXX </item>
  <UOM> XXX </UOM>
</dancik-api-request>
```

#### Example (JSON) :

```
{
  "apikey" : " XXX ",
  "allwarehouses" : " XXX ",
  "item" : " XXX ",
  "UOM" : " XXX "
}
```

### Outputs :

Layout name : records

Variable	Type	Description
id	string	Session Id

#### Example (XML) :

```
<dancik-api-response>
  <records>
    <id> XXX </id>
  </records>
</dancik-api-response>
```

#### Example (JSON) :

```
{
  "records" : [ {
    "id" : " XXX "
  } ]
}
```

### History :

Date	Description
04/25/2013	New Call