

# Dancik Open-WebService Reference

## Function ID/Path : /d24/getUserAccounts

This function retrieves accounts associated to the user. If the user is not a Super-user, then the keyword filter is ignored, and only the users associated account will be returned.

### Inputs :

| Variable            | Type       | Req? | Description  |
|---------------------|------------|------|--|
| d24user             | string(10) | Y    | The login profile name.  |
| d24sesid            | string(20) | Y    | The logged in users active session id.   |
| d24_keywordsearch   | string(30) | N    | Search string for searching accounts.  |
| d24_max_records     | integer(9) | N    | Search Criteria : Indicate the maximum number of records to return. (Dft:25)     |
| d24_starting_record | integer(9) | N    | Search Criteria : The starting record to position the query at.(Dft:1)           |
| d24_orderby         | string(50) | N    | Search Criteria : The column identifier the query will be sorted by. (Dft: name) |
| d24_orderby_desc    | string(1)  | N    | Search Criteria : To descend the orderby column. Value : Y                       |

#### Example (XML) :

```
<dancik-api-request>
  <d24user> XXX </d24user>
  <d24sesid> XXX </d24sesid>
  <d24_keywordsearch> XXX </d24_keywordsearch>
  <d24_max_records> XXX </d24_max_records>
  <d24_starting_record> XXX </d24_starting_record>
  <d24_orderby> XXX </d24_orderby>
  <d24_orderby_desc> XXX </d24_orderby_desc>
</dancik-api-request>
```

#### Example (JSON) :

```
{
  "d24user": " XXX ",
  "d24sesid": " XXX ",
  "d24_keywordsearch": " XXX ",
  "d24_max_records": " XXX ",
  "d24_starting_record": " XXX ",
  "d24_orderby": " XXX ",
  "d24_orderby_desc": " XXX "
}
```

### Outputs :

Layout name : useraccounts

| Variable                 | Type   | Description               |
|--------------------------|--------|---------------------------|
| account_number           | string | Account Number            |
| account_description      | string | Account Description.      |
| account_description_full | string | Full Account Description. |

#### Example (XML) :

```
<dancik-api-response>
  <useraccounts>
    <account_number> XXX </account_number>
    <account_description> XXX </account_description>
    <account_description_full> XXX </account_description_full>
  </useraccounts>
</dancik-api-response>
```

#### Example (JSON) :

```
{
  "useraccounts": {
    "account_number": " XXX ",
    "account_description": " XXX ",
    "account_description_full": " XXX "
  }
}
```

### History :

| Date       | Description |
|------------|-------------|
| 07/14/2011 | New Call    |