

# Dancik Open-WebService Reference

## Function ID/Path : /is/setFilterViewOptions

This function sets the day view display options and print options for installation scheduler.

### Inputs :

Variable	Type	Req?	Description
keyid	dec(9,0)	Y	Record Key Identifier
appid	string(10)	Y	Application Name
tableid	string(50)	Y	File Name
description	string(120)	Y	View Name
type	string(1)	Y	Filter/View (F/V)
private	string(1)	Y	Public/Private Flag (Y/N)
filter_view_values	string(10000)	Y	Option Parameters
delete_flag	string(1)	Y	Delete Flag (Y)
default_flag	string(1)	Y	Default Flag (Y)

#### Example (XML) :

```
<dancik-api-request>
  <keyid> XXX </keyid>
  <appid> XXX </appid>
  <tableid> XXX </tableid>
  <description> XXX </description>
  <type> XXX </type>
  <private> XXX </private>
  <filter_view_values> XXX </filter_view_values>
  <delete_flag> XXX </delete_flag>
  <default_flag> XXX </default_flag>
</dancik-api-request>
```

#### Example (JSON) :

```
{
  "keyid" : " XXX ",
  "appid" : " XXX ",
  "tableid" : " XXX ",
  "description" : " XXX ",
  "type" : " XXX ",
  "private" : " XXX ",
  "filter_view_values" : " XXX ",
  "delete_flag" : " XXX ",
  "default_flag" : " XXX "
}
```

### Outputs :

Layout name : success

Variable	Type	Description
time_stamp	timestamp	Timestamp of the successful request
keyid	dec(9,0)	KeyID Used

#### Example (XML) :

```
<dancik-api-response>
  <success>
    <time_stamp> XXX </time_stamp>
    <keyid> XXX </keyid>
  </success>
</dancik-api-response>
```

#### Example (JSON) :

```
{
  "success" : {
    "time_stamp" : " XXX ",
    "keyid" : " XXX "
  }
}
```

### History :

Date	Description
10/19/2015	New Call