

Dancik Open-WebService Reference

Function ID/Path : /ssm/setSelectedItemRecord

This function validates, then update, the selected selection item record.

Inputs :

Variable	Type	Req?	Description
ssm_Selectionid	decimal(9,0)	Y	Selection Id#
ssm_Line	decimal(9,0)	Y	Line#.
ssm_RoomTypeld	decimal(9,0)	Y	Room Type Id#
ssm_RoomAreald	decimal(9,0)	Y	Room Area Id#
ssm_Item	string(16)	Y	Item#
ssm_Qty	decimal(7,2)	N	Quantity
ssm_UOM	string(2)	N	Unit of Measure
ssm_Sequence	integer(9)	N	Display Sequence
ssm_RestrictionCode	string(1)	N	Restriction Code#
ssm_PL_Override	string(2)	N	Price List#, for price overrides
ssm_PriceOverride	decimal(9,3)	N	Price override.
ssm_Note	string(50)	N	Comment/Note 2
ssm_Note3	string(50)	N	Comment/Note 3
ssm_Note4	string(50)	N	Comment/Note 4
ssm_Note5	string(50)	N	Comment/Note 5
ssm_Note6	string(50)	N	Comment/Note 6
ssm_Note7	string(50)	N	Comment/Note 7
ssm_Note8	string(50)	N	Comment/Note 8
ssm_Note9	string(50)	N	Comment/Note 9
ssm_SerialNum	string(10)	N	Serial #
ssm_Warehouse	string(3)	N	Warehouse
ssm_Location	string(4)	N	Location

Example (XML) :

```
<dancik-api-request>
  <ssm_Selectionid> XXX </ssm_Selectionid>
  <ssm_Line> XXX </ssm_Line>
  <ssm_RoomTypeld> XXX </ssm_RoomTypeld>
  <ssm_RoomAreald> XXX </ssm_RoomAreald>
  <ssm_Item> XXX </ssm_Item>
  <ssm_Qty> XXX </ssm_Qty>
  <ssm_UOM> XXX </ssm_UOM>
  <ssm_Sequence> XXX </ssm_Sequence>
  <ssm_RestrictionCode> XXX </ssm_RestrictionCode>
  <ssm_PL_Override> XXX </ssm_PL_Override>
  <ssm_PriceOverride> XXX </ssm_PriceOverride>
  <ssm_Note> XXX </ssm_Note>
  <ssm_Note3> XXX </ssm_Note3>
  <ssm_Note4> XXX </ssm_Note4>
  <ssm_Note5> XXX </ssm_Note5>
  <ssm_Note6> XXX </ssm_Note6>
  <ssm_Note7> XXX </ssm_Note7>
  <ssm_Note8> XXX </ssm_Note8>
  <ssm_Note9> XXX </ssm_Note9>
  <ssm_SerialNum> XXX </ssm_SerialNum>
  <ssm_Warehouse> XXX </ssm_Warehouse>
  <ssm_Location> XXX </ssm_Location>
</dancik-api-request>
```

Example (JSON) :

```
{
  "ssm_Selectionid" : " XXX ",
  "ssm_Line" : " XXX ",
  "ssm_RoomTypeld" : " XXX ",
  "ssm_RoomAreald" : " XXX ",
  "ssm_Item" : " XXX ",
  "ssm_Qty" : " XXX ",
  "ssm_UOM" : " XXX ",
  "ssm_Sequence" : " XXX ",
  "ssm_RestrictionCode" : " XXX ",
  "ssm_PL_Override" : " XXX ",
  "ssm_PriceOverride" : " XXX ",
  "ssm_Note" : " XXX ",
  "ssm_Note3" : " XXX ",
  "ssm_Note4" : " XXX ",
  "ssm_Note5" : " XXX ",
  "ssm_Note6" : " XXX ",
  "ssm_Note7" : " XXX ",
  "ssm_Note8" : " XXX ",
  "ssm_Note9" : " XXX ",
  "ssm_SerialNum" : " XXX ",
  "ssm_Warehouse" : " XXX ",
  "ssm_Location" : " XXX "
}
```

Dancik Open-WebService Reference

Function ID/Path : /ssm/setSelectedItemRecord

This function validates, then update, the selected selection item record.

Outputs :

Layout name : success

Variable	Type	Description
timestamp	timestamp	Time stamp of the successful request.

Example (XML) :

```
<dancik-api-response>
  <success>
    <timestamp> XXX </timestamp>
  </success>
</dancik-api-response>
```

Example (JSON) :

```
{
  "success": {
    "timestamp": " XXX "
  }
}
```

History :

Date	Description
06/25/2012	New Call