

Dancik Open-WebService Reference

Function ID/Path : /ar/updateQuickDepositRecord

This service will update a Quick Deposit record at the line level.

Inputs :

| Variable | Type | Req? | Description |
|-----------------|-------------|------|-------------------------|
| inCompany | string(1) | Y | Company number. |
| inBank | string(1) | Y | Bank code. |
| inDepositNumber | string(3) | Y | Deposit number. |
| inDepositDate | string(8) | Y | Deposit Date(MM/DD/YY). |
| inDepositAmount | string(9,2) | Y | Deposit amount |
| inAccount | string(5) | Y | Account number. |
| inCheckNumber | string(13) | Y | Check number. |
| inCheckAmount | string(9,2) | Y | Check amount. |
| inComment | string(20) | Y | Comment. |
| inID | string(9) | Y | Unique Identification. |

Example (XML) :

```
<dancik-api-request>
  <inCompany> XXX </inCompany>
  <inBank> XXX </inBank>
  <inDepositNumber> XXX </inDepositNumber>
  <inDepositDate> XXX </inDepositDate>
  <inDepositAmount> XXX </inDepositAmount>
  <inAccount> XXX </inAccount>
  <inCheckNumber> XXX </inCheckNumber>
  <inCheckAmount> XXX </inCheckAmount>
  <inComment> XXX </inComment>
  <inID> XXX </inID>
</dancik-api-request>
```

Example (JSON) :

```
{
  "inCompany": " XXX ",
  "inBank": " XXX ",
  "inDepositNumber": " XXX ",
  "inDepositDate": " XXX ",
  "inDepositAmount": " XXX ",
  "inAccount": " XXX ",
  "inCheckNumber": " XXX ",
  "inCheckAmount": " XXX ",
  "inComment": " XXX ",
  "inID": " XXX "
}
```

Outputs :

Layout name : success

| Variable | Type | Description |
|-----------|--------|-------------|
| timestamp | string | Timestamp. |

Example (XML) :

```
<dancik-api-response>
  <success>
    <timestamp> XXX </timestamp>
  </success>
</dancik-api-response>
```

Example (JSON) :

```
{
  "success": {
    "timestamp": " XXX "
  }
}
```

History :

| Date | Description |
|------------|-------------|
| 11/08/2012 | New Service |