

Dancik Open-WebService Reference

Function ID/Path : /ar/arUpdateOpenAr

This function is used to update the OPENAR file with changes.

Inputs :

Variable	Type	Req?	Description
arCompanyNumber	numeric(1)	Y	The Company Number to update the OPENAR records with.
arAccountNumber	numeric(5)	Y	The Account Number to update the OPENAR records with.
arInvoiceNumber	numeric(6)	Y	Invoice Number to update the OPENAR records with.
arCustomerPurchaseOrder	string(10)	Y	The Customer Purchase Order to update the OPENAR records with.
arInvoiceDate	numeric(6)	Y	Invoice Number to update the OPENAR records with.
arBranch	string(3)	Y	The Branch for the OPENAR record.
arWarehouse	string(3)	Y	The Warehouse for the OPENAR record.
arDisputeCode	string(1)	N	Dispute Code from the OPENAR.
arTermsCode	string(1)		Terms Code from OPENAR.
arTermsDays	numeric(3)	N	Terms Days from OPENAR.

Example (XML) :

```
<dancik-api-request>
  <arCompanyNumber> XXX </arCompanyNumber>
  <arAccountNumber> XXX </arAccountNumber>
  <arInvoiceNumber> XXX </arInvoiceNumber>
  <arCustomerPurchaseOrder> XXX </arCustomerPurchaseOrder>
  <arInvoiceDate> XXX </arInvoiceDate>
  <arBranch> XXX </arBranch>
  <arWarehouse> XXX </arWarehouse>
  <arDisputeCode> XXX </arDisputeCode>
  <arTermsCode> XXX </arTermsCode>
  <arTermsDays> XXX </arTermsDays>
</dancik-api-request>
```

Example (JSON) :

```
{
  "arCompanyNumber": " XXX ",
  "arAccountNumber": " XXX ",
  "arInvoiceNumber": " XXX ",
  "arCustomerPurchaseOrder": " XXX ",
  "arInvoiceDate": " XXX ",
  "arBranch": " XXX ",
  "arWarehouse": " XXX ",
  "arDisputeCode": " XXX ",
  "arTermsCode": " XXX ",
  "arTermsDays": " XXX "
}
```

Outputs :

Layout name : success

Variable	Type	Description
timestamp	timestamp	Time stamp of the successful request.

Example (XML) :

```
<dancik-api-response>
  <success>
    <timestamp> XXX </timestamp>
  </success>
</dancik-api-response>
```

Example (JSON) :

```
{
  "success": {
    "timestamp": " XXX "
  }
}
```

History :

Date	Description
10/31/2012	New Call