

Dancik Open-WebService Reference

Function ID/Path : /fcb2b/deallocate_pending_items

Deallocate Pending Items - FCB2B

Inputs :

Variable	Type	Req?	Description
fb_ReferenceId	decimal(7,0)	Y	Reference ID.
fb_Line	decimal(4,0)	Y	Line#.
fb_Mode	string(1)	Y	Mode D=Delete All lines in the consolidated view.
fb_city	string(30)	N	Ship to city
fb_state	string(2)	N	Ship to state
fb_ShipVia	string(2)	N	Ship Via

Example (XML) :

```
<dancik-api-request>
  <fb_ReferenceId> XXX </fb_ReferenceId>
  <fb_Line> XXX </fb_Line>
  <fb_Mode> XXX </fb_Mode>
  <fb_city> XXX </fb_city>
  <fb_state> XXX </fb_state>
  <fb_ShipVia> XXX </fb_ShipVia>
</dancik-api-request>
```

Example (JSON) :

```
{
  "fb_ReferenceId" : " XXX ",
  "fb_Line" : " XXX ",
  "fb_Mode" : " XXX ",
  "fb_city" : " XXX ",
  "fb_state" : " XXX ",
  "fb_ShipVia" : " XXX "
}
```

Outputs :

Layout name : records

Variable	Type	Description
id	string	Session Id

Example (XML) :

```
<dancik-api-response>
  <records>
    <id> XXX </id>
  </records>
</dancik-api-response>
```

Example (JSON) :

```
{
  "records" : [{
    "id" : " XXX "
  }]
}
```

History :

Date	Description
06/17/2013	New Call