

Dancik Open-WebService Reference

Function ID/Path : /creditmgr/getOrderInvoices

This function retrieves all invoice for an order.

Inputs :

Variable	Type	Req?	Description
order_number	string(6)	Y	Order Number

Example (XML) :

```
<dancik-api-request>  
  <order_number> XXX </order_number>  
</dancik-api-request>
```

Example (JSON) :

```
{  
  "order_number" : " XXX "  
}
```

Outputs :

Layout name : multiples

Variable	Type	Description
order_number		
invoice_number		
reference_number		
file_name		

Layout name : header

Variable	Type	Description
header_billto_acct		
header_billto_name		
header_billto_add1		
header_billto_citystzip		
header_shipto_name		
header_shipto_add1		
header_shipto_citystzip		
header_custpo		
header_ship_date		
header_job_name		
header_shipvia		
header_shipvia_description		
header_fob		
header_fob_description		
header_order_number		
header_reference_number		
header_truck_route		
header_truck_route_description		
header_terms_code_description		
header_warehouse		
header_warehouse_description		

Dancik Open-WebService Reference

Function ID/Path : /creditmgr/getOrderInvoices

This function retrieves all invoice for an order.

Variable	Type	Description
header_branch		
header_branch_description		
header_invoice_number		
header_invoice_date		

Layout name : details

Variable	Type	Description
details_line_number		
details_item_number		
details_item_description1		
details_item_description2		
details_quantity_ordered		
details_price_per_uom		
details_total_extended_price		
details_warehouse		

Layout name : totals

Variable	Type	Description
totals_invoice_amount		
totals_statetax		
totals_othertax		
totals_discount		
totals_funds		
totals_total_price		
totals_freight		

Example (XML) :

```
<dancik-api-response>
  <multiples>
    <order_number> XXX </order_number>
    <invoice_number> XXX </invoice_number>
    <reference_number> XXX </reference_number>
    <file_name> XXX </file_name>
  </multiples>
  <header>
    <header_billto_acct> XXX </header_billto_acct>
    <header_billto_name> XXX </header_billto_name>
    <header_billto_add1> XXX </header_billto_add1>
    <header_billto_citystzip> XXX </header_billto_citystzip>
    <header_shipto_name> XXX </header_shipto_name>
    <header_shipto_add1> XXX </header_shipto_add1>
    <header_shipto_citystzip> XXX </header_shipto_citystzip>
    <header_custpo> XXX </header_custpo>
    <header_ship_date> XXX </header_ship_date>
    <header_job_name> XXX </header_job_name>
    <header_shipvia> XXX </header_shipvia>
    <header_shipvia_description> XXX </header_shipvia_description>
    <header_fob> XXX </header_fob>
  </header>
</dancik-api-response>
```

Example (JSON) :

```
{
  "multiples" : {
    "order_number" : " XXX ",
    "invoice_number" : " XXX ",
    "reference_number" : " XXX ",
    "file_name" : " XXX "
  }
  "header" : {
    "header_billto_acct" : " XXX ",
    "header_billto_name" : " XXX ",
    "header_billto_add1" : " XXX ",
    "header_billto_citystzip" : " XXX ",
    "header_shipto_name" : " XXX ",
    "header_shipto_add1" : " XXX ",
    "header_shipto_citystzip" : " XXX ",
    "header_custpo" : " XXX ",
    "header_ship_date" : " XXX ",
    "header_job_name" : " XXX ",
    "header_shipvia" : " XXX ",
    "header_shipvia_description" : " XXX ",
    "header_fob" : " XXX "
  }
}
```

Dancik Open-WebService Reference

Function ID/Path : /creditmgr/getOrderInvoices

This function retrieves all invoice for an order.

```

<header_fob_description> XXX </header_fob_description>
<header_order_number> XXX </header_order_number>
<header_reference_number> XXX </header_reference_number>
<header_truck_route> XXX </header_truck_route>
<header_truck_route_description> XXX </header_truck_route_description>
<header_terms_code_description> XXX </
header_terms_code_description>
<header_warehouse> XXX </header_warehouse>
<header_warehouse_description> XXX </header_warehouse_description>
<header_branch> XXX </header_branch>
<header_branch_description> XXX </header_branch_description>
<header_invoice_number> XXX </header_invoice_number>
<header_invoice_date> XXX </header_invoice_date>
</header>
<details>
<details_line_number> XXX </details_line_number>
<details_item_number> XXX </details_item_number>
<details_item_description1> XXX </details_item_description1>
<details_item_description2> XXX </details_item_description2>
<details_quantity_ordered> XXX </details_quantity_ordered>
<details_price_per_uom> XXX </details_price_per_uom>
<details_total_extended_price> XXX </details_total_extended_price>
<details_warehouse> XXX </details_warehouse>
</details>
<totals>
<totals_invoice_amount> XXX </totals_invoice_amount>
<totals_statetax> XXX </totals_statetax>
<totals_othertax> XXX </totals_othertax>
<totals_discount> XXX </totals_discount>
<totals_funds> XXX </totals_funds>
<totals_total_price> XXX </totals_total_price>
<totals_freight> XXX </totals_freight>
</totals>
</dancik-api-response>

```

```

"header_fob_description" : " XXX " ,
"header_order_number" : " XXX " ,
"header_reference_number" : " XXX " ,
"header_truck_route" : " XXX " ,
"header_truck_route_description" : " XXX " ,
"header_terms_code_description" : " XXX " ,
"header_warehouse" : " XXX " ,
"header_warehouse_description" : " XXX " ,
"header_branch" : " XXX " ,
"header_branch_description" : " XXX " ,
"header_invoice_number" : " XXX " ,
"header_invoice_date" : " XXX "
}
"details" : {
"details_line_number" : " XXX " ,
"details_item_number" : " XXX " ,
"details_item_description1" : " XXX " ,
"details_item_description2" : " XXX " ,
"details_quantity_ordered" : " XXX " ,
"details_price_per_uom" : " XXX " ,
"details_total_extended_price" : " XXX " ,
"details_warehouse" : " XXX "
}
"totals" : {
"totals_invoice_amount" : " XXX " ,
"totals_statetax" : " XXX " ,
"totals_othertax" : " XXX " ,
"totals_discount" : " XXX " ,
"totals_funds" : " XXX " ,
"totals_total_price" : " XXX " ,
"totals_freight" : " XXX "
}
}

```

History :

Date	Description
01/08/2016	New Call