

Dancik Open-WebService Reference

Function ID/Path : /creditmgr/getShipTo

This function returns ShipTos for an account.

Inputs :

Variable	Type	Req?	Description
company_number	decimal(1,0)	Y	Company Number
account_number	decimal(5,0)	Y	Account Number
order_by	string(15)	Y	Column Sort
sortdir	string(1)	Y	Ascending (A)/Descending(D)

Example (XML) :

```
<dancik-api-request>
  <company_number> XXX </company_number>
  <account_number> XXX </account_number>
  <order_by> XXX </order_by>
  <sortdir> XXX </sortdir>
</dancik-api-request>
```

Example (JSON) :

```
{
  "company_number": " XXX ",
  "account_number": " XXX ",
  "order_by": " XXX ",
  "sortdir": " XXX "
}
```

Outputs :

Layout name : shipto

Variable	Type	Description
shipto_number		
shipto_name		
shipto_city		
shipto_state		
shipto_zip		
shipto_ware		
shipto_shipvia		
shipto_truckrte		
shipto_fob		

Example (XML) :

```
<dancik-api-response>
  <shipto>
    <shipto_number> XXX </shipto_number>
    <shipto_name> XXX </shipto_name>
    <shipto_city> XXX </shipto_city>
    <shipto_state> XXX </shipto_state>
    <shipto_zip> XXX </shipto_zip>
    <shipto_ware> XXX </shipto_ware>
    <shipto_shipvia> XXX </shipto_shipvia>
    <shipto_truckrte> XXX </shipto_truckrte>
    <shipto_fob> XXX </shipto_fob>
  </shipto>
</dancik-api-response>
```

Example (JSON) :

```
{
  "shipto": {
    "shipto_number": " XXX ",
    "shipto_name": " XXX ",
    "shipto_city": " XXX ",
    "shipto_state": " XXX ",
    "shipto_zip": " XXX ",
    "shipto_ware": " XXX ",
    "shipto_shipvia": " XXX ",
    "shipto_truckrte": " XXX ",
    "shipto_fob": " XXX "
  }
}
```

History :

Dancik Open-WebService Reference

Function ID/Path : /creditmgr/getShipTo

This function returns ShipTos for an account.

Date	Description
02/16/2016	New Call