

Dancik Open-WebService Reference

Function ID/Path : /d24/getManufacturers

This function retrieves valid D24 Manufacturers, specifically for the Price List submission screen.

Inputs :

Variable	Type	Req?	Description
d24user	string(10)	Y	The login profile name.
d24sesid	string(20)	Y	The logged in users active session id.
d24_keywordsearch	string(30)	N	Search string for searching categories.
d24_max_records	integer(9)	N	Search Criteria : Indicate the maximum number of records to return. (Dft:25)
d24_starting_record	integer(9)	N	Search Criteria : The starting record to position the query at.(Dft:1)
d24_orderby	string(50)	N	Search Criteria : The column identifier the query will be sorted by.
d24_orderby_desc	string(1)	N	Search Criteria : To descend the orderby column. Value : Y
d24_withpriceclasses	string(1)	N	If Y=Yes, then only pull those mfgrs with at least one associated Price Class record. Value : Y

Example (XML) :

```
<dancik-api-request>
  <d24user> XXX </d24user>
  <d24sesid> XXX </d24sesid>
  <d24_keywordsearch> XXX </d24_keywordsearch>
  <d24_max_records> XXX </d24_max_records>
  <d24_starting_record> XXX </d24_starting_record>
  <d24_orderby> XXX </d24_orderby>
  <d24_orderby_desc> XXX </d24_orderby_desc>
  <d24_withpriceclasses> XXX </d24_withpriceclasses>
</dancik-api-request>
```

Example (JSON) :

```
{
  "d24user": " XXX ",
  "d24sesid": " XXX ",
  "d24_keywordsearch": " XXX ",
  "d24_max_records": " XXX ",
  "d24_starting_record": " XXX ",
  "d24_orderby": " XXX ",
  "d24_orderby_desc": " XXX ",
  "d24_withpriceclasses": " XXX "
}
```

Outputs :

Layout name : mfgrs

Variable	Type	Description
id	string	Manufacturer Id
description	string	Manufacturer Description

Example (XML) :

```
<dancik-api-response>
  <mfgrs>
    <id> XXX </id>
    <description> XXX </description>
  </mfgrs>
</dancik-api-response>
```

Example (JSON) :

```
{
  "mfgrs": {
    "id": " XXX ",
    "description": " XXX "
  }
}
```

History :

Date	Description
07/14/2011	New Call