

# Dancik Open-WebService Reference

## Function ID/Path : /d24/sendProrateStatement

This function adds items, that came from the specials inquiry, to the users shopping cart. If at any point of validation, of the items, if any one fails, then no items are loaded, and an error result will be returned with the line# of error and the message.

### Inputs :

Variable	Type	Req?	Description
d24user	string(10)	Y	The login profile name.
d24sesid	string(20)	Y	The logged in users active session id.
d24emails	array	Y	This array is the container for allowing a multitude of email addresses.
d24message	string(1000)	Y	Email Message
d24subject	string(100)	Y	Email Subject
d24items	array	Y	This array is the container for allowing a multitude of items.
d24addtl_services	array	N	This array is the container for allowing a multitude of additional services.
d24order	string(6)	Y	Order
d24invoice	string(6)	N	Invoice
d24date_installed	string(8)	N	Date Installed
d24building	string(50)	N	Building
d24apartment	string(50)	N	Apartment
d24product_lifecycle_text	string(50)	N	product_lifecycle_text
d24months_of_residence_text	string(50)	N	months_of_residence_text
d24mgr_comments	string(1000)	N	Manager comments
d24total_display	string(50)	N	Total Display
d24statement_logo_url	string(50)	N	statement_logo_url
d24statement_title	string(50)	N	statement_title
d24order_label	string(50)	N	order_label
d24invoice_label	string(50)	N	Invoice Label
d24date_installed_label	string(50)	N	date_installed_label
d24building_label	string(50)	N	building_label
d24apartment_label	string(50)	N	apartment_label
d24product_lifecycle_label	string(50)	N	product_lifecycle_label
d24months_of_residence_label	string(50)	N	months_of_residence_label
d24description_header	string(50)	N	Description header
d24details_header	string(50)	N	Details header
d24price_header	string(50)	N	Price Header
d24original_cost_label	string(50)	N	original_cost_label
d24lost_life_on_product_label	string(50)	N	lost_life_on_product_label
d24prorated_cost_per_month_label	string(50)	N	prorated_cost_per_month_label
d24mgr_comments_label	string(50)	N	mgr_comments_label
d24total_due	string(50)	N	total_due
d24disclaimer_text	string(50)	N	disclaimer_text
d24addtl_services_total_display	string(50)	N	addtl_services_total_display
d24prorate_total_display	string(50)	N	prorate_total_display
d24addtl_services_total_label	string(50)	N	addtl_services_total_label
d24prorate_total_label	string(50)	N	prorate_total_label

# Dancik Open-WebService Reference

## Function ID/Path : /d24/sendProrateStatement

This function adds items, that came from the specials inquiry, to the users shopping cart. If at any point of validation, of the items, if any one fails, then no items are loaded, and an error result will be returned with the line# of error and the message.

### Example (XML) :

```
<dancik-api-request>
  <d24user> XXX </d24user>
  <d24sesid> XXX </d24sesid>
  <d24emails> XXX </d24emails>
  <d24message> XXX </d24message>
  <d24subject> XXX </d24subject>
  <d24items> XXX </d24items>
  <d24addtl_services> XXX </d24addtl_services>
  <d24order> XXX </d24order>
  <d24invoice> XXX </d24invoice>
  <d24date_installed> XXX </d24date_installed>
  <d24building> XXX </d24building>
  <d24apartment> XXX </d24apartment>
  <d24product_lifecycle_text> XXX </d24product_lifecycle_text>
  <d24months_of_residence_text> XXX </d24months_of_residence_text>
  <d24mgr_comments> XXX </d24mgr_comments>
  <d24total_display> XXX </d24total_display>
  <d24statement_logo_url> XXX </d24statement_logo_url>
  <d24statement_title> XXX </d24statement_title>
  <d24order_label> XXX </d24order_label>
  <d24invoice_label> XXX </d24invoice_label>
  <d24date_installed_label> XXX </d24date_installed_label>
  <d24building_label> XXX </d24building_label>
  <d24apartment_label> XXX </d24apartment_label>
  <d24product_lifecycle_label> XXX </d24product_lifecycle_label>
  <d24months_of_residence_label> XXX </d24months_of_residence_label>
  <d24description_header> XXX </d24description_header>
  <d24details_header> XXX </d24details_header>
  <d24price_header> XXX </d24price_header>
  <d24original_cost_label> XXX </d24original_cost_label>
  <d24lost_life_on_product_label> XXX </d24lost_life_on_product_label>
  <d24prorated_cost_per_month_label> XXX </
d24prorated_cost_per_month_label>
  <d24mgr_comments_label> XXX </d24mgr_comments_label>
  <d24total_due> XXX </d24total_due>
  <d24disclaimer_text> XXX </d24disclaimer_text>
  <d24addtl_services_total_display> XXX </d24addtl_services_total_display>
  <d24prorate_total_display> XXX </d24prorate_total_display>
  <d24addtl_services_total_label> XXX </d24addtl_services_total_label>
  <d24prorate_total_label> XXX </d24prorate_total_label>
</dancik-api-request>
```

### Example (JSON) :

```
{
  "d24user": " XXX ",
  "d24sesid": " XXX ",
  "d24emails": " XXX ",
  "d24message": " XXX ",
  "d24subject": " XXX ",
  "d24items": " XXX ",
  "d24addtl_services": " XXX ",
  "d24order": " XXX ",
  "d24invoice": " XXX ",
  "d24date_installed": " XXX ",
  "d24building": " XXX ",
  "d24apartment": " XXX ",
  "d24product_lifecycle_text": " XXX ",
  "d24months_of_residence_text": " XXX ",
  "d24mgr_comments": " XXX ",
  "d24total_display": " XXX ",
  "d24statement_logo_url": " XXX ",
  "d24statement_title": " XXX ",
  "d24order_label": " XXX ",
  "d24invoice_label": " XXX ",
  "d24date_installed_label": " XXX ",
  "d24building_label": " XXX ",
  "d24apartment_label": " XXX ",
  "d24product_lifecycle_label": " XXX ",
  "d24months_of_residence_label": " XXX ",
  "d24description_header": " XXX ",
  "d24details_header": " XXX ",
  "d24price_header": " XXX ",
  "d24original_cost_label": " XXX ",
  "d24lost_life_on_product_label": " XXX ",
  "d24prorated_cost_per_month_label": " XXX ",
  "d24mgr_comments_label": " XXX ",
  "d24total_due": " XXX ",
  "d24disclaimer_text": " XXX ",
  "d24addtl_services_total_display": " XXX ",
  "d24prorate_total_display": " XXX ",
  "d24addtl_services_total_label": " XXX ",
  "d24prorate_total_label": " XXX "
```

## Outputs :

### Layout name : success

Variable	Type	Description
timestamp	timestamp	Time stamp of the successful request.

### Layout name : errors

Variable	Type	Description
line	int	Line#, associated with d24_addititems array, that the error occurred.
errid	string	Error Message#, in this case, it will contain the line#
errmsg	string	Error message description.

### Example (XML) :

```
<dancik-api-response>
  <success>
```

### Example (JSON) :

```
{
  "success": {
```

# Dancik Open-WebService Reference

## Function ID/Path : /d24/sendProrateStatement

This function adds items, that came from the specials inquiry, to the users shopping cart. If at any point of validation, of the items, if any one fails, then no items are loaded, and an error result will be returned with the line# of error and the message.

```
<timestamp> XXX </timestamp>
</success>
<errors>
  <line> XXX </line>
  <errid> XXX </errid>
  <errmsg> XXX </errmsg>
</errors>
</dancik-api-response>
```

```
"timestamp" : " XXX "
}
"errors" : [{
  "line" : " XXX ",
  "errid" : " XXX ",
  "errmsg" : " XXX "
}]
}
```

## History :

Date	Description
07/14/2011	New Call