

# Dancik Open-WebService Reference

## Function ID/Path : /installmgr/setOrderReminder

This function set values for a Reminder associated to an Order.

### Inputs :

Variable	Type	Req?	Description
uid	decimal(9,0)	N	Unique Identifier
reference	decimal(7,0)	Y	Reference Id
order	decimal(6,0)	Y	Order Id
reminder_date	decimal(6,0)	Y	Date of Reminder (MMDDYY format)
notes	string(1000)	Y	Reminder Notes

#### Example (XML) :

```
<dancik-api-request>
  <uid> XXX </uid>
  <reference> XXX </reference>
  <order> XXX </order>
  <reminder_date> XXX </reminder_date>
  <notes> XXX </notes>
</dancik-api-request>
```

#### Example (JSON) :

```
{
  "uid" : " XXX ",
  "reference" : " XXX ",
  "order" : " XXX ",
  "reminder_date" : " XXX ",
  "notes" : " XXX "
}
```

### Outputs :

Variable	Type	Description
ware		Warehouse Id

#### Example (XML) :

```
<dancik-api-response>
  <>
  <ware> XXX </ware>
  </>
</dancik-api-response>
```

#### Example (JSON) :

```
{
  "" : {
    "ware" : " XXX "
  }
}
```

### History :

Date	Description
01/03/2017	New Call