

Dancik Open-WebService Reference

Function ID/Path : /inventory/getCMIInfoReturntoStock

This service gets an order number and returns the order line info for the returns to stock system.

Inputs :

Variable	Type	Req?	Description
OrderNbr	numeric(6,0)	Y	Order Number. Required. Must be valid credit memo order number.

Example (XML) :

```
<dancik-api-request>
  <OrderNbr> XXX </OrderNbr>
</dancik-api-request>
```

Example (JSON) :

```
{
  "OrderNbr": " XXX "
}
```

Outputs :

Layout name : records

Variable	Type	Description
line_number		
item_number		
shade_lot		
item_description1		
item_description2		
serial_number		
location		
quantity_ordered		
warehouse		
unit_cost		
um		
sn_shade		

Example (XML) :

```
<dancik-api-response>
  <records>
    <line_number> XXX </line_number>
    <item_number> XXX </item_number>
    <shade_lot> XXX </shade_lot>
    <item_description1> XXX </item_description1>
    <item_description2> XXX </item_description2>
    <serial_number> XXX </serial_number>
    <location> XXX </location>
    <quantity_ordered> XXX </quantity_ordered>
    <warehouse> XXX </warehouse>
    <unit_cost> XXX </unit_cost>
    <um> XXX </um>
    <sn_shade> XXX </sn_shade>
  </records>
</dancik-api-response>
```

Example (JSON) :

```
{
  "records": {
    "line_number": " XXX ",
    "item_number": " XXX ",
    "shade_lot": " XXX ",
    "item_description1": " XXX ",
    "item_description2": " XXX ",
    "serial_number": " XXX ",
    "location": " XXX ",
    "quantity_ordered": " XXX ",
    "warehouse": " XXX ",
    "unit_cost": " XXX ",
    "um": " XXX ",
    "sn_shade": " XXX "
  }
}
```

History :

Dancik Open-WebService Reference

Function ID/Path : /inventory/getCMInfoReturntoStock

This service gets an order number and returns the order line info for the returns to stock system.

Date	Description
06/10/2015	get_CM_Info_Return_to_Stock