

Dancik Open-WebService Reference

Function ID/Path : /ssm/addReferenceDetailRecord

This function creates a new reference detail/person record.

Inputs :

Variable	Type	Req?	Description
ssm_roleid	integer(9)	Y	Role/Reference Header Id, this record is associated to.
ssm_firstname	string(50)	N	First name
ssm_lastname	string(50)	Y	Last name or Company name
ssm_address1	string(50)	N	Address 1st section
ssm_address2	string(50)	N	Address 2nd section
ssm_city	string(50)	N	City
ssm_state	string(2)	N	2 Digit State abbreviation
ssm_zip	string(20)	N	Zip code. Free-form, any format allowed
ssm_phone1	string(20)	N	Main phone number
ssm_phone2	string(20)	N	Fax phone number
ssm_email	string(240)	N	Email Address

Example (XML) :

```
<dancik-api-request>
  <ssm_roleid> XXX </ssm_roleid>
  <ssm_firstname> XXX </ssm_firstname>
  <ssm_lastname> XXX </ssm_lastname>
  <ssm_address1> XXX </ssm_address1>
  <ssm_address2> XXX </ssm_address2>
  <ssm_city> XXX </ssm_city>
  <ssm_state> XXX </ssm_state>
  <ssm_zip> XXX </ssm_zip>
  <ssm_phone1> XXX </ssm_phone1>
  <ssm_phone2> XXX </ssm_phone2>
  <ssm_email> XXX </ssm_email>
</dancik-api-request>
```

Example (JSON) :

```
{
  "ssm_roleid" : " XXX ",
  "ssm_firstname" : " XXX ",
  "ssm_lastname" : " XXX ",
  "ssm_address1" : " XXX ",
  "ssm_address2" : " XXX ",
  "ssm_city" : " XXX ",
  "ssm_state" : " XXX ",
  "ssm_zip" : " XXX ",
  "ssm_phone1" : " XXX ",
  "ssm_phone2" : " XXX ",
  "ssm_email" : " XXX "
}
```

Outputs :

Layout name : success

Variable	Type	Description
timestamp	timestamp	Time stamp of the successful request.

Example (XML) :

```
<dancik-api-response>
  <success>
    <timestamp> XXX </timestamp>
  </success>
</dancik-api-response>
```

Example (JSON) :

```
{
  "success" : {
    "timestamp" : " XXX "
  }
}
```

History :

Dancik Open-WebService Reference

Function ID/Path : /ssm/addReferenceDetailRecord

This function creates a new reference detail/person record.

Date	Description
06/25/2012	New Call