

Dancik Open-WebService Reference

Function ID/Path : /ssm/buildPendingBySelection

This function creates a new PENDING skeleton order by the selected selection.

Inputs :

Variable	Type	Req?	Description
ssm_Id	decimal(9,0)	Y	Selection Id#
ssm_items	array	Y	This array is the container for allowing a multitude of item records(up to 100) to be passed and added, in one single service request.

Example (XML) :

```
<dancik-api-request>
  <ssm_Id> XXX </ssm_Id>
  <ssm_items> XXX </ssm_items>
</dancik-api-request>
```

Example (JSON) :

```
{
  "ssm_Id" : " XXX ",
  "ssm_items" : " XXX "
}
```

Outputs :

Layout name : pending

Variable	Type	Description
new_id	decimal(9,0)	The newly generated PENDING reference id.

Layout name : success

Variable	Type	Description
timestamp	timestamp	Time stamp of the successful request.

Example (XML) :

```
<dancik-api-response>
  <pending>
    <new_id> XXX </new_id>
  </pending>
  <success>
    <timestamp> XXX </timestamp>
  </success>
</dancik-api-response>
```

Example (JSON) :

```
{
  "pending" : {
    "new_id" : " XXX "
  }
  "success" : {
    "timestamp" : " XXX "
  }
}
```

History :

Date	Description
03/10/2012	New Call