

Dancik Open-WebService Reference

Function ID/Path : /ssm/getCustomerDuplicates

Get Customer Duplicates

Inputs :

Variable	Type	Req?	Description
ssm_FirstName	string(12)	Y	Customers first name
ssm_LastName	string(18)	Y	Customers last name
ssm_Address1	string(30)	Y	Customers Address 1st section
ssm_City	string(30)	N	Customers City
ssm_AreaCode	integer(3)	Y	Customers 3-digit area code. All 3 digits are required.
ssm_Phone	integer(3)	Y	Customers 3-digit prefix, of their phone number. All 3 digits, combined with "ssm_phone4" value, are required.

Example (XML) :

```
<dancik-api-request>
  <ssm_FirstName> XXX </ssm_FirstName>
  <ssm_LastName> XXX </ssm_LastName>
  <ssm_Address1> XXX </ssm_Address1>
  <ssm_City> XXX </ssm_City>
  <ssm_AreaCode> XXX </ssm_AreaCode>
  <ssm_Phone> XXX </ssm_Phone>
</dancik-api-request>
```

Example (JSON) :

```
{
  "ssm_FirstName": " XXX ",
  "ssm_LastName": " XXX ",
  "ssm_Address1": " XXX ",
  "ssm_City": " XXX ",
  "ssm_AreaCode": " XXX ",
  "ssm_Phone": " XXX "
}
```

Outputs :

Layout name : DUPLICATES

Variable	Type	Description
S@FRSTNAME		
S@LASTNAME		
S@CUSTADD1		
S@CUSTADD2		
S@CUSTCITY		
S@CUSTSTAT		
S@CUSTZIP1		
S@CUSTZIP2		
S@CUSTEMAL		
S@CUSTPHON		
S@CUSTPHO1		
S@CUSTTYPE		

Example (XML) :

```
<dancik-api-response>
  <DUPLICATES>
    <S@FRSTNAME> XXX </S@FRSTNAME>
    <S@LASTNAME> XXX </S@LASTNAME>
    <S@CUSTADD1> XXX </S@CUSTADD1>
    <S@CUSTADD2> XXX </S@CUSTADD2>
    <S@CUSTCITY> XXX </S@CUSTCITY>
    <S@CUSTSTAT> XXX </S@CUSTSTAT>
    <S@CUSTZIP1> XXX </S@CUSTZIP1>
    <S@CUSTZIP2> XXX </S@CUSTZIP2>
    <S@CUSTEMAL> XXX </S@CUSTEMAL>
    <S@CUSTPHON> XXX </S@CUSTPHON>
  </DUPLICATES>
</dancik-api-response>
```

Example (JSON) :

```
{
  "DUPLICATES": {
    "S@FRSTNAME": " XXX ",
    "S@LASTNAME": " XXX ",
    "S@CUSTADD1": " XXX ",
    "S@CUSTADD2": " XXX ",
    "S@CUSTCITY": " XXX ",
    "S@CUSTSTAT": " XXX ",
    "S@CUSTZIP1": " XXX ",
    "S@CUSTZIP2": " XXX ",
    "S@CUSTEMAL": " XXX ",
    "S@CUSTPHON": " XXX "
  }
}
```

Dancik Open-WebService Reference

Function ID/Path : /ssm/getCustomerDuplicates

Get Customer Duplicates

```
<S@CUSTPHO1> XXX </S@CUSTPHO1>
<S@CUSTTYPE> XXX </S@CUSTTYPE>
</DUPLICATES>
</dancik-api-response>

"S@CUSTPHO1" : " XXX " ,
"S@CUSTTYPE" : " XXX "
}
```

History :

Date	Description
02/05/2016	New Call