

Dancik Open-WebService Reference

Function ID/Path : /ssm/getDrillDown_Summary

This function retrieves a specific selection's item records.

Inputs :

| Variable | Type | Req? | Description |
|------------------|----------|------|--------------------------------------|
| ssm_MainSort | char(20) | Y | |
| ssm_SubSort | char(20) | Y | |
| ssm_BeginDate | char(10) | Y | Begin Date MMDDYY or MM/DD/YY format |
| ssm_EndDate | char(10) | Y | End Date MMDDYY or MM/DD/YY format |
| ssm_MainSort_Key | char(20) | N | |

Example (XML) :

```
<dancik-api-request>
  <ssm_MainSort> XXX </ssm_MainSort>
  <ssm_SubSort> XXX </ssm_SubSort>
  <ssm_BeginDate> XXX </ssm_BeginDate>
  <ssm_EndDate> XXX </ssm_EndDate>
  <ssm_MainSort_Key> XXX </ssm_MainSort_Key>
</dancik-api-request>
```

Example (JSON) :

```
{
  "ssm_MainSort" : " XXX ",
  "ssm_SubSort" : " XXX ",
  "ssm_BeginDate" : " XXX ",
  "ssm_EndDate" : " XXX ",
  "ssm_MainSort_Key" : " XXX "
}
```

Outputs :

Layout name : items

| Variable | Type | Description |
|----------|------|---------------------------------------|
| line | int | Line id associated to the item record |

Example (XML) :

```
<dancik-api-response>
  <items>
    <line> XXX </line>
  </items>
</dancik-api-response>
```

Example (JSON) :

```
{
  "items" : [{
    "line" : " XXX "
  }]
}
```

History :

| Date | Description |
|------------|-------------|
| 12/19/2012 | New Call |