

Dancik Open-WebService Reference

Function ID/Path : /ssm/setOrderShippingData

This function updates shipping information for a selected reference#.

Inputs :

Variable	Type	Req?	Description
ssm_Id	decimal(9,0)	Y	Selection Id#
ssm_Referenceld	decimal(7,0)	Y	Reference#
ssm_ShipTold	decimal(9,0)	N	Ship To#
ssm_ManualName	string(30)	N	Ship To - Manual Override Name
ssm_ManualAddress1	string(30)	N	Ship To - Manual Override Address1
ssm_ManualAddress2	string(30)	N	Ship To - Manual Override Address2
ssm_ManualCity	string(30)	N	Ship To - Manual Override City
ssm_ManualState	string(2)	N	Ship To - Manual Override State
ssm_ManualZipcode5	decimal(5,0)	N	Ship To - Manual Override Zip Code (5)
ssm_ManualZipcode4	decimal(4,0)	N	Ship To - Manual Override Zip Code (4)
ssm_Phone1	decimal(10,0)	N	Ship to - Phone Number 1
ssm_Phone2	decimal(10,0)	N	Ship To - Phone Number 2

Example (XML) :

```
<dancik-api-request>
  <ssm_Id> XXX </ssm_Id>
  <ssm_Referenceld> XXX </ssm_Referenceld>
  <ssm_ShipTold> XXX </ssm_ShipTold>
  <ssm_ManualName> XXX </ssm_ManualName>
  <ssm_ManualAddress1> XXX </ssm_ManualAddress1>
  <ssm_ManualAddress2> XXX </ssm_ManualAddress2>
  <ssm_ManualCity> XXX </ssm_ManualCity>
  <ssm_ManualState> XXX </ssm_ManualState>
  <ssm_ManualZipcode5> XXX </ssm_ManualZipcode5>
  <ssm_ManualZipcode4> XXX </ssm_ManualZipcode4>
  <ssm_Phone1> XXX </ssm_Phone1>
  <ssm_Phone2> XXX </ssm_Phone2>
</dancik-api-request>
```

Example (JSON) :

```
{
  "ssm_Id": " XXX ",
  "ssm_Referenceld": " XXX ",
  "ssm_ShipTold": " XXX ",
  "ssm_ManualName": " XXX ",
  "ssm_ManualAddress1": " XXX ",
  "ssm_ManualAddress2": " XXX ",
  "ssm_ManualCity": " XXX ",
  "ssm_ManualState": " XXX ",
  "ssm_ManualZipcode5": " XXX ",
  "ssm_ManualZipcode4": " XXX ",
  "ssm_Phone1": " XXX ",
  "ssm_Phone2": " XXX "
}
```

Outputs :

Layout name : success

Variable	Type	Description
timestamp	timestamp	Time stamp of the successful request.

Example (XML) :

```
<dancik-api-response>
  <success>
    <timestamp> XXX </timestamp>
  </success>
</dancik-api-response>
```

Example (JSON) :

```
{
  "success": {
    "timestamp": " XXX "
  }
}
```

History :

Dancik Open-WebService Reference

Function ID/Path : /ssm/setOrderShippingData

This function updates shipping information for a selected reference#.

Date	Description
03/10/2012	New Call