

Dancik Open-WebService Reference

Function ID/Path : /ssm/setReminder

This function update a specific SSM reminder record.

Inputs :

Variable	Type	Req?	Description
ssm_Id	decimal(9,0)	Y	Unique Identifier of the reminder
ssm_Date	decimal(8,0)	Y	Date of the reminder
ssm_Brief	string(50)	Y	Brief Description of the reminder.
ssm_Full	string(500)	Y	Full Description/Details of the reminder.

Example (XML) :

```
<dancik-api-request>
  <ssm_Id> XXX </ssm_Id>
  <ssm_Date> XXX </ssm_Date>
  <ssm_Brief> XXX </ssm_Brief>
  <ssm_Full> XXX </ssm_Full>
</dancik-api-request>
```

Example (JSON) :

```
{
  "ssm_Id" : " XXX " ,
  "ssm_Date" : " XXX " ,
  "ssm_Brief" : " XXX " ,
  "ssm_Full" : " XXX "
}
```

Outputs :

Layout name : success

Variable	Type	Description
timestamp	timestamp	Time stamp of the successful request.

Example (XML) :

```
<dancik-api-response>
  <success>
    <timestamp> XXX </timestamp>
  </success>
</dancik-api-response>
```

Example (JSON) :

```
{
  "success" : {
    "timestamp" : " XXX "
  }
}
```

History :

Date	Description
03/10/2012	New Call