

Dancik Open-WebService Reference

Function ID/Path : /supplier-portal/getSupplierManifest

Retrieves supplier manifest.

Inputs :

Variable	Type	Req?	Description
manifest	string(10)	Y	Manifest
supplier	string(3)	Y	Supplier Id

Example (XML) :

```
<dancik-api-request>
  <manifest> XXX </manifest>
  <supplier> XXX </supplier>
</dancik-api-request>
```

Example (JSON) :

```
{
  "manifest" : " XXX " ,
  "supplier" : " XXX "
}
```

Outputs :

Layout name : manifest

Variable	Type	Description
manifest	string(10)	Manifest
ship_date	string	Ship Date
arrival_date	string	Arrival Date
ship_method	string	Shipment Method
line_sts	string	Status
qty_ordered	string	Quantity Ordered

Example (XML) :

```
<dancik-api-response>
  <manifest>
    <manifest> XXX </manifest>
    <ship_date> XXX </ship_date>
    <arrival_date> XXX </arrival_date>
    <ship_method> XXX </ship_method>
    <line_sts> XXX </line_sts>
    <qty_ordered> XXX </qty_ordered>
  </manifest>
</dancik-api-response>
```

Example (JSON) :

```
{
  "manifest" : {
    "manifest" : " XXX " ,
    "ship_date" : " XXX " ,
    "arrival_date" : " XXX " ,
    "ship_method" : " XXX " ,
    "line_sts" : " XXX " ,
    "qty_ordered" : " XXX "
  }
}
```

History :

Date	Description
09/14/2017	New Call