

Dancik Open-WebService Reference

Function ID/Path : /pu/addPurchasingRule

This function adds purchasing rule.

Inputs :

Variable	Type	Req?	Description
recordType	string(1)	Y	Record Type
recordKey	string(16)	Y	Key value for a specified record type.
minOrder_qty	numeric	N	Minimum Order Quantity.
minOrder_um	string(2)	N	Minimum Order Quantity Unit of Measure.
maxOrder_qty	numeric	N	Maximum Order Quantity.
maxOrder_um	string(2)	N	Maximum Order Quantity Unit of Measure.
orderInMulti_qty	numeric	N	Multiple Order Quantity.
orderInMulti_um	string(2)	N	Multiple Order Quantity Unit of Measure.

Example (XML) :

```
<dancik-api-request>
  <recordType> XXX </recordType>
  <recordKey> XXX </recordKey>
  <minOrder_qty> XXX </minOrder_qty>
  <minOrder_um> XXX </minOrder_um>
  <maxOrder_qty> XXX </maxOrder_qty>
  <maxOrder_um> XXX </maxOrder_um>
  <orderInMulti_qty> XXX </orderInMulti_qty>
  <orderInMulti_um> XXX </orderInMulti_um>
</dancik-api-request>
```

Example (JSON) :

```
{
  "recordType": " XXX ",
  "recordKey": " XXX ",
  "minOrder_qty": " XXX ",
  "minOrder_um": " XXX ",
  "maxOrder_qty": " XXX ",
  "maxOrder_um": " XXX ",
  "orderInMulti_qty": " XXX ",
  "orderInMulti_um": " XXX "
}
```

Outputs :

Layout name : success

Variable	Type	Description
timestamp	timestamp	Time stamp of the successful request.

Example (XML) :

```
<dancik-api-response>
  <success>
    <timestamp> XXX </timestamp>
  </success>
</dancik-api-response>
```

Example (JSON) :

```
{
  "success": {
    "timestamp": " XXX "
  }
}
```

History :

Date	Description
10/31/2012	New Call